

CERTIFICATE OF ACCREDITATION

MWAIWATHU PRIVATE HOSPITAL LABORATORY

Company Registration No. 3919

Facility Accreditation Number: MED 067

is a SADCAS accredited Medical Laboratory
provided that all SADCAS conditions are complied with

This certificate is valid as per the scope stated in the accompanying schedule of accreditation,
Annexure "A", bearing the above accreditation number for

MEDICAL TESTING LABORATORY CLINICAL CHEMISTRY

The facility is accredited in accordance with the recognized International Standard

ISO 15189:2012

*The accreditation demonstrates technical competency for a defined scope and the operation
of a laboratory quality management system*

*SADCAS is a subsidiarity organization of SADC. A memorandum of understanding between SADC and
SADCAS serves as the basis for the recognition of SADCAS by SADC Member States
as a multi-economy accreditation body*

Mrs Maureen P Mutasa
SADCAS Chief Executive Officer

Effective Date (Issue No: 1): 29 March 2021
Certificate Expires: 28 March 2026

ANNEXURE A

SCHEDULE OF ACCREDITATION

Laboratory Accreditation Number: **MED 067 (ISO 15189:2012)**

| <p>Permanent Address of Laboratory Mwaiwathu Private Hospital Laboratory Old Chileka Road Blantyre Malawi</p> <p>Postal Address: P.O Box 3067 Blantyre Malawi</p> <p>Tel : +265 1 686 949 Cell : +265 993 067 053 Fax : +265 1 821 190 Email : f.chipeta@mwaiwathuhospital.com</p> | | <p>Technical Signatories : As Authorized by the Head of Laboratory</p> <p>Nominated Representative : Mr Froid Chipetah</p> <p>Issue No : 01 Date of Issue : 29 March 2021 Expiry Date : 28 March 2026</p> |
|---|---|--|
| DISCIPLINE/SAMPLE TYPE | TYPES OF TESTS | EQUIPMENT/METHOD |
| <p>CLINICAL CHEMISTRY</p> <p>Serum/Heparinised Plasma Serum/Heparinised Plasma Serum/Heparinised Plasma Serum/Heparinised Plasma Serum/Heparinised Plasma Serum/Heparinised Plasma Serum/Heparinised Plasma Serum/Heparinised Plasma Serum/Heparinised Plasma Serum/ Plasma</p> | <p>Albumin Alanine Aminotransferase (ALT) Aspartate Aminotransferase (AST) Creatinine Total Bilirubin Total Protein Urea Sodium Potassium Glucose</p> | <p>Mindray BS 240 Mindray BS 240 Mindray BS 240 Dimension Xpand Mindray BS 240 Mindray BS 240 Dimension Xpand Dimension Xpand Dimension Xpand Dimension Xpand Dimension Xpand</p> |

Original date of accreditation: 29 March 2021

Page 1 of 1

Pinkie J Malebe
SADCAS Technical Manager