

CERTIFICATE OF ACCREDITATION

TROJAN NICKEL MINE LABORATORY, ZIMBABWE

Company Registration No. 252/64

Facility Accreditation Number: TEST-5 0045

is a SADCAS accredited Testing Laboratory
provided that all SADCAS conditions are complied with

This certificate is valid as per the scope stated in the accompanying schedule of accreditation,
Annexure "A", bearing the above accreditation number for

CHEMICAL ANALYSIS

The facility is accredited in accordance with the recognized International Standard

ISO/IEC 17025:2017

*The accreditation demonstrates technical competency for a defined scope and the operation
of a laboratory quality management system*

*SADCAS is a subsidiary organization of SADC. A memorandum of understanding between SADC and
SADCAS serves as the basis for the recognition of SADCAS by SADC Member States
as a multi-economy accreditation body*

Mrs Maureen P Mutasa
SADCAS Chief Executive Officer

Effective Date (Issue No: 1): 22 November 2019
Certificate Expires: 21 November 2024

ANNEXURE A
SCHEDULE OF ACCREDITATION
CHEMICAL ANALYSIS

Laboratory Accreditation Number: TEST-5 0045 (ISO/IEC 17025:2017)

<p><u>Permanent Address of Laboratory</u> Trojan Nickel Mine Ltd 1 Trojan Road Bindura Zimbabwe</p> <p><u>Postal Address</u> P O Box 35 Bindura Zimbabwe</p> <p><u>Tel</u> : +263 77 218 5650 Ext. 2538 <u>Cell</u> : +263 78 270 5047 <u>Email</u> : WMchina@bnc.co.zw</p>		<p><u>Technical Signatories</u> : Mr K Goteka (All methods) Mr W Mchina (All methods) Mr S B Nhlema (All methods)</p> <p><u>Nominated Representative</u> : Mr W Mchina</p> <p><u>Issue No</u> : 03 <u>Date of Issue</u> : 31 March 2023 <u>Expiry Date</u> : 21 November 2024</p>
MATERIALS/PRODUCTS TESTED	TYPES OF TESTS/ PROPERTIES MEASURED, RANGE OF MEASUREMENT	STANDARD SPECIFICATIONS, EQUIPMENT/ TECHNIQUES USED
Nickel Concentrates	Nickel, Copper, Cobalt, Iron, Magnesium, Arsenic, Silicon and Sulphur	L-STP-017 and L-STP-018: Sodium Peroxide Fusion with ICP-OES Finish
Nickel Ores	Nickel, Copper, Cobalt, Iron, Magnesium, Arsenic, Silicon, Sulphur and Calcium	L-STP-017 and L-STP-019: Sodium Peroxide Fusion with ICP-OES Finish

Original date of accreditation: 22 November 2019

Page 1 of 1

Pinkie J Malebe
SADCAS Technical Manager