

CERTIFICATE OF ACCREDITATION

PANGOLIM PRESTAÇÃO DE SERVIÇOS LIMITADA

Company Registration No. 2019-330

Facility Accreditation Number: CAL-3 003

is a SADCAS accredited Calibration Laboratory
provided that all SADCAS conditions are complied with

This certificate is valid as per the scope stated in the accompanying schedule of accreditation,
Annexure "A", bearing the above accreditation number for

ELECTRICAL METROLOGY

The facility is accredited in accordance with the recognized International Standard

ISO/IEC 17025:2017

*The accreditation demonstrates technical competency for a defined scope and the operation
of a laboratory quality management system*

*SADCAS is a subsidiarity organization of SADC. A memorandum of understanding between SADC and
SADCAS serves as the basis for the recognition of SADCAS by SADC Member States
as a multi-economy accreditation body*

Eve Christine Gadzikwa
SADCAS Chief Executive Officer

Effective Date (Issue No: 1): 29 September 2025
Certificate Expires: 28 September 2030

ANNEXURE A
SCHEDULE OF ACCREDITATION
ELECTRICAL METROLOGY

Laboratory Accreditation Number: CAL-3 003 (ISO/IEC 17025:2017)

<p><u>Permanent Address of Laboratory</u> Pangolim Prestação de Serviços Limitada Unit 6, Bizpark Viana Cacuaco-Benfica Kikuxe, Viana Luanda, Angola</p> <p><u>Postal Address</u> Unit 6, Bizpark Viana Cacuaco-Benfica Kikuxe, Viana Luanda, Angola</p> <p><u>Tel</u> : +244 93 598 6940 <u>Cell</u> : +44 79 3583 4346 (UK) <u>Email</u> : Greg.dinkelman@kirosmetering.com</p>	<p><u>Technical Signatories</u> : Mr I Aggrey (All items)</p> <p><u>Nominated Representative</u> : Mr G Dinkelman</p> <p><u>Issue No</u> : 01 <u>Date of Issue</u> : 29 September 2025 <u>Expiry Date</u> : 28 September 2030</p>				
ITEM	MEASURED QUANTITY OR TYPE OF GAUGE OR INSTRUMENT	METHOD	NOMINAL RANGE	NOMINAL FREQUENCY	CALIBRATION AND MEASUREMENT CAPABILITY EXPRESSED AS AN UNCERTAINTY (±)
					At Pangolim
1	DC Voltage	IT.LAB.010	0mV to 1000V	DC	0.002% ± 1digit
2	DC Resistance	IT.LAB.010	0mΩ to 10MΩ 10MΩ to 1GΩ	DC	0.005% ± 1digit: 0.4% ± 1 digit
3	DC Current	IT.LAB.009	0 to 30A	DC	0.008% ± 1digit
4	AC Voltage	IT.LAB.010	0 to 1000V	0 to 1Khz	0.01% ± 1digit
5	AC Current	IT.LAB.009	0uA to 30A	0 to 1Khz	0.02% ± 2digit

Original date of accreditation: 29 September 2025

Page 1 of 1

The CMC, expressed as an expanded uncertainty of measurement, is stated as the standard uncertainty of measurement multiplied by a coverage factor $k = 2$, corresponding to a confidence level of approximately 95%.

Pinkie J Malebe
SADCAS Technical Manager